



DEC 03 2004

CO7 C

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No. 6,773,695 B2) Serial No. 09/804,464
Thomas M. KÜNDIG et al.) Filed: March 13, 2001
Issue Date: August 10, 2004) Attorney Docket No. 005184.00002

For: MODULATION OF ALLERGIC RESPONSE

REQUEST FOR CERTIFICATE OF CORRECTION

U.S. Patent and Trademark Office
220 20th Street, South
Customer Window, Mail Stop Certificate of Correction Branch
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

Please issue a Certificate of Correction in the above-identified patent. Two (2) copies of PTO Form 1050 are appended. The complete Certificate of Correction involves one page and adds as Assignee the University of Zürich. A copy of the Notice of Recordation and Assignment to the University is attached.

Please charge any fee required to our Deposit Account No. 19-0733.

Respectfully submitted,

BANNER & WITCOFF, LTD.

Dated: December 3, 2004

By: Lisa M. Hemmendinger

Lisa M. Hemmendinger

Registration No. 42,653

1001 G Street, N.W. (11th Fl.)
Washington, D.C. 20001
(202) 824-3000

Adjustment date: 01/31/2008 CKHLOK
10/26/2007 INTEFSW 00007821 190733 09804464
01-FC:1464 130.00 CR

01/31/2008 CKHLOK 0000021 190733 6773695

01-FC:1811 100.00 DA
02-EC:1808 130.00 DA

Certificate
DEC 08 2004
of Correction

13 DEC 2004